according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions.

4.0 07.11.2017 S00034169652

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: MAXIM 480FS

Design code : A9459C

Product Registration number : MAPP 16725

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fungicide

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited

CPC4, Capital Park

Fulbourn, Cambridge CB21 5XE

United Kingdom

Telephone : +44 (0) 1223 883400

Telefax : +44 (0) 1223 882195

E-mail address of person

responsible for the SDS

: customer.services@syngenta.com

1.4 Emergency telephone number

Emergency telephone

number

: +44 1484 538444

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute aquatic toxicity, Category 1

H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting

effects.

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions. 4.0 07.11.2017 S00034169652

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

*

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH208 Contains 1,2-benzisothiazol-3-one.

May produce an allergic reaction.

EUH401 To avoid risks to human health and the

environment, comply with the instructions for use.

Precautionary statements : Disposal

P501 Dispose of contents/ container to an approved waste

disposal plant.

Precautionary statements : P102 Keep out of reach of children.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty triple rinsed clean containers which can

be disposed of as non-hazardous waste.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
fludioxonil	131341-86-1	Aquatic Acute 1;	>= 30 - < 50
		H400	
		Aquatic Chronic 1;	
		H410	
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0.025 - <
	220-120-9	Skin Irrit. 2; H315	0.05
	613-088-00-6	Eye Dam. 1; H318	

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions. 4.0 07.11.2017 S00034169652

		Skin Sens. 1; H317 Aquatic Acute 1; H400	
bronopol (INN)	52-51-7 200-143-0 603-085-00-8	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.025 - < 0.1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Nonspecific

No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.

Treat symptomatically.

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions.

4.0 07.11.2017 S00034169652

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear full protective clothing and self-contained breathing

apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions.

4.0 07.11.2017 S00034169652

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out

of the reach of children. Keep away from food, drink and

animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s)

For proper and safe use of this product, please refer to the

approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

cupational Exposure Ellinis						
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
fludioxonil	131341-86- 1	TWA	5 mg/m3	Syngenta		
propane-1,2,3-triol	56-81-5	TWA (Mist)	10 mg/m3	GB EH40		
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used					

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection

Remarks : No special protective equipment required.

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions.

4.0 07.11.2017 S00034169652

Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : off-white to grey
Odour : No data available

Odour Threshold : No data available

pH : 5-9

Concentration: 1 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : $> 101 \,^{\circ}\text{C}(1012.0 \,\text{hPa})$

Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

: No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure

No data available

Relative vapour density : No data available

Density : 1.219 g/cm3 (25 °C)

Solubility(ies)

Solubility in other solvents : No data available

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions. 4.0

07.11.2017 S00034169652

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature No data available

Viscosity

Viscosity, dynamic

61 - 154 mPa.s (40 °C)

82 - 191 mPa.s (20 °C)

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

9.2 Other information

Surface tension 31.0 mN/m, 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid

No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid

None known.

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: 4.0 07.11.2017

SDS Number: S00034169652

This version replaces all previous versions.

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity

: LD50 (Rat, female): 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.64 mg/l

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,050 mg/kg

Components:

fludioxonil:

Acute oral toxicity

: LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity

: LD50 (Rat): 1,020 mg/kg

bronopol (INN):

Acute oral toxicity

: Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after

single contact with skin.

Skin corrosion/irritation

Product:

Species: Rabbit

Result: No skin irritation

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: 4.0

SDS Number: 07.11.2017 S00034169652 This version replaces all previous versions.

Components:

fludioxonil:

Species: Rabbit

Result: No skin irritation

1,2-benzisothiazol-3(2H)-one:

Result: Irritating to skin.

bronopol (INN):

Result: Irritating to skin.

Serious eye damage/eye irritation

Product:

Species: Rabbit

Result: No eye irritation

Components:

fludioxonil:

Species: Rabbit

Result: No eye irritation

1,2-benzisothiazol-3(2H)-one:

Result: Risk of serious damage to eyes.

bronopol (INN):

Result: Risk of serious damage to eyes.

Respiratory or skin sensitisation

Product:

Result: Did not cause sensitisation on laboratory animals.

Components:

fludioxonil:

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

1,2-benzisothiazol-3(2H)-one:

Result: Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Components:

fludioxonil:

Germ cell mutagenicity-

: Animal testing did not show any mutagenic effects.

Assessment

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions.

4.0 07.11.2017 S00034169652

Carcinogenicity

Components: fludioxonil:

Carcinogenicity -

Assessment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

fludioxonil:

Reproductive toxicity -

Assessment

: No toxicity to reproduction

STOT - single exposure

Components:

bronopol (INN):

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Repeated dose toxicity

Components:

fludioxonil:

Remarks: No adverse effect has been observed in chronic toxicity tests.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.13 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 50.25 mg/l

Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.82

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.01

mg/l

End point: Growth rate Exposure time: 72 h

Components:

fludioxonil:

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions. 4.0 07.11.2017 S00034169652

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.4 mg/l

Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.44

mg/l

Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.132

mg/l

Exposure time: 96 h

ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l

Exposure time: 96 h

NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l

End point: Growth rate Exposure time: 96 h

M-Factor (Acute aquatic

toxicity)

1, M-Factor=1 used for transport classification

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Toxicity to fish (Chronic

toxicity)

NOEC: 0.04 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other :

aquatic invertebrates

(Chronic toxicity)

NOEC: 0.035 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10, M-Factor=1 used for transport classification

1,2-benzisothiazol-3(2H)-one:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

bronopol (INN):

Toxicity to algae : NOEC (algae): 0.0025 mg/l

Exposure time: 72 h

EC50 (algae): 0.068 mg/l Exposure time: 72 h

M-Factor (Acute aquatic

toxicity)

10

M-Factor (Chronic aquatic

toxicity)

10

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions.

4.0 07.11.2017 S00034169652

12.2 Persistence and degradability

Components:

fludioxonil:

Biodegradability

Result: Not readily biodegradable.

bronopol (INN):

Biodegradability

: Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

fludioxonil:

Bioaccumulation

: Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.12 (25 °C)

12.4 Mobility in soil

Components:

fludioxonil:

Distribution among

Remarks: immobile

environmental compartments

Stability in soil : Dissipation time: 14 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

Components:

fludioxonil:

Assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating

(vPvB)..

12.6 Other adverse effects

No data available

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions.

4.0 07.11.2017 S00034169652

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

Waste Code : uncleaned packagings

150110, packaging containing residues of or contaminated by

dangerous substances

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUDIOXONIL)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUDIOXONIL)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUDIOXONIL)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUDIOXONIL)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(FLUDIOXONIL)

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions. 4.0 07.11.2017 S00034169652

14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction : 964

(passenger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions. 4.0 07.11.2017 S00034169652

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Marine pollutant : yes

IATA (Cargo)

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2
E1 ENVIRONMENTAL 100 t 200 t

HAZARDS

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Use plant protection products safely. Always read the label and product information before use.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.
H312 : Harmful in contact with skin.
H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H335 : May cause respiratory irritation.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity
Eye Dam. : Serious eye damage
Skin Irrit : Skin irritation

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

according to Regulation (EC) No. 1907/2006



MAXIM 480FS

Version Revision Date: SDS Number: This version replaces all previous versions.

4.0 07.11.2017 S00034169652

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Aquatic Acute 1 H400 On basis of test data.

Aquatic Chronic 1 H410 On basis of test data.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN